




## Trava

### Surface-mounted Wood Wall Panel System



Our architectural finishings systems are designed to seamlessly cover larger surface areas simply, beautifully, and most importantly, functionally. Utilizing both universal and custom hardware, transforming simple walls into a stunning ambient or accent addition, that also solves a space's sound challenge, has never been easier. You *can't help falling in love* with our Effortless Large Vertical Installation System.

#### Features

- Panels weigh just 1lb per square foot, just 30% the weight of traditional MDF, resulting in less installation cost
- Redesigned with front and back layers of high-density acoustic board for added rigidity
- The same great look of wood panels with the NRC value of acoustic materials
- Facing edges can be square and edgebanded or rounded and wrapped
- On average, the Sonus Wall System is 28% less cost than MDF wall systems

# Trava

Size	Width up to 48", length up to 120"
Thickness	1 <sup>1/4</sup> ", 2 <sup>1/4</sup> "
Tolerance	+/- 1/16"
Core	High-end acoustical performing facer board (1/8") adds rigidity and strength to our 1" or 2" core acoustic substrate. Core substrate comprised of 6-7 pcf fiberglass known for it's high-performing sound absorption capabilities, thermal properties, and high dimensional stability.
Edge Detail	Square and Edgebanded or Rounded and Wrapped
Mounting Type	Surface-mounted
Mounting Hardware	Z-clips
Flammability	ASTM e84 Class A
NRC	1.25" = .85, 2.25" = .95

## Our Craftsmanship Guarantee is really simple:

If there is a craftsmanship defect detected, we will repair or replace the impacted product.

If the product was damaged during shipping and it was because of how we packaged it, we will repair or replace the impacted product.

The length of our guarantee is five (5) years provided you used a Certified PRO Installer; otherwise, it is a standard three (3) years.

## Lead Time


Standard Sizes and Coverings: 2-3 Weeks  
Custom Sizes and Coverings: 6-8 Weeks\*

\*any customer supplied coverings may require additional time for delivery and testing. Additionally, wood veneers require perforation. Anything not in stock requires an additional 4-6 weeks.


## Custom Shop

Need something unique? Want to co-create actionable solutions that improve the human experience? We believe, together, we can ideate, design, and build solutions, that create unique experiences. Call us to discuss our Custom Shop program.

# Trava



1. Additional layer of rigid high-density acoustic board
2. High-density 6–7lb acoustic board
3. Rigid high-density acoustic board
4. Jacaranda SanFoot Wood Veneer consisting of a unique five layer construction:
  - Two layers of polyurethane laquer with 30% sheen
  - High quality 0.2mm wood veneer
  - Interlayer paper
  - Aluminum, providing a moisture barrier and excellent impact resistance and fire ratings
  - Paper backing for coding of individual sheet identifications



# Trava

## Standard Species and Stains



Maple  
Flat Cut



Cherry  
Flat Cut



Red Oak  
Flat Cut



Oak  
Whiterift



Walnut  
Flat Cut

## Non-standard Species and Stains

Over 100 species and cuts available.

Proudly partnering with

